

**NAME**

reroute – zmailer’s utility to move queued message back to router

**SYNOPSIS****reroute**

`[-c channel] [-h "hostname"] [-V]`

**DESCRIPTION**

The *reroute*(8zm) is a ZMailer transport agent which sends message from scheduler queue back to router.

The *reroute*(8zm) program must be run with root privileges and invoked with the same current directory as the *scheduler*, namely *POSTOFFICE/transport*.

**OPTIONS**

`-c channel`

Message recipient selector "channel" (optional)

`-h "hostname"`

Message recipient selector "host" (optional)

`-V` prints a version message and exits.

**INTERFACE**

This program reads in processable file names relative to the current working directory of the *scheduler*(8zm) (namely: *POSTOFFICE/transport/*). Optionally on the same line the *scheduler*(8zm) may tell which host is to be looked for from the recipients of the message.

*relative-spool-path* [ <TAB> *hostname* ]

This program produces diagnostic output on the standard output. Normal diagnostic output is of the form:

*id/offset*<TAB>*notify-data*<TAB>*status message*

where *id* is the inode number of the message file, *offset* is a byte offset within its control file where the address being reported on is kept, *status* is one of **ok**, **error**, or **deferred**, and the *message* is descriptive text associated with the report. The text is terminated by a linefeed. Any other format (as might be produced by subprocesses) is passed to standard output for logging in the *scheduler*(8zm) log.

The exit status is a code from <*sysexits.h*>.

**Z-ENVIRONMENT VARIABLES**

This program uses no **ZMailer** environment variables.

**FILES**

*/opt/mail/zmailer.conf* (ZCONFIG)

*/var/spool/postoffice* (POSTOFFICE)

**SEE ALSO**

*scheduler*(8zm), *manual-rerouter*(8zm), *zmailer.conf*(5zm).

**AUTHOR**

This program is authored and copyright by:

Matti Aarnio <mea@nic.funet.fi>